

University of Baghdad			
College Name	Education for women		
Department	Kindergarten's children		
Full Name as written in Passport	DHUHA ADIL MAHMOOD		
e-mail	hh-uu10		
Career	<input type="radio"/> Assistant Lecturer	<input type="radio"/> Lecturer	<input checked="" type="radio"/> Assistant Professor
	<input type="radio"/> Master		<input checked="" type="radio"/> PhD
Thesis Title	The Post Traumatic Stress Disorder and Its Relation with the Psychological – Social Adjustment for the Students of Baghdad University		
Year	26/12/2006		

Abstract

The most violent stresses and traumas that individual may be exposed to is the war trauma , which the occurrence of post-traumatic stress disorder is often associated with being exposed to the war trauma. Therefore, it is necessary to study that disorder in Iraq , as Iraq the most country that witnessed wars and disasters along history. Iraqis, including youth, are still exposed from the beginning of war with the occupying countries until the present day to catastrophic experiences.

1. Constructing post-traumatic stress disorder scale for the students of Baghdad University.
2. Constructing symptoms associated with post-traumatic stress disorder scale for the students of Baghdad University.
3. Constructing Psychological – Social Adjustment scale for the students of Baghdad University.
4. Constructing methods of adjustment scale for the students of Baghdad University.
5. Measuring the level of post-traumatic stress disorder for the students of Baghdad University.
6. Measuring the symptoms associated with post-traumatic stress disorder for the students of Baghdad University.
7. Measuring the level of the Psychological-Social Adjustment for the students of Baghdad University.

the students of Baghdad University.

9. Finding out the direction and the strength of the relationship between post-traumatic stress disorder and the Psychological – Social Adjustment.

1. The scale of post-traumatic stress disorder that the researcher used the standards mentioned by the American Psychiatric Association the Fourth Review (APA, DSM-IV-2000) in making it.

2. The scale of symptoms associated with post-traumatic stress disorder , that the researcher used the standards mentioned in the classification of American Psychiatric Association, the Fourth Review (APA, DSM-IV-2000) in making it.

3. The scale of the Psychological – Social Adjustment that the researcher depended on number of the previous literatures and studies.

4. The scale of methods of adjustment that the researcher depended on number of the previous literatures and studies . in the light of that she determined the fields of scale which are the direct (conscious)field and the indirect (Unconscious) field.

1. The level of post-traumatic stress disorder for the students of Baghdad University is regarded low.

2. The level of symptoms associated to post-traumatic stress disorder for the students of Baghdad University is regarded low.

3. The level of the Psychological –Social Adjustment for

the students of Baghdad University is regarded high.

4. The level of students' resorting to methods of adjustment is regarded low.
5. There is reverse correlative relationship statistically significant between post-traumatic stress disorder and the Psychological – Social Adjustment.
6. There is direct correlative relationship statistically significant between post-traumatic stress disorder and symptoms associated with post-traumatic stress disorder.
7. There is direct correlative relationship statistically significant between post-traumatic stress disorder and methods of adjustment.
8. There is reverse correlative relationship statistically significant between Psychological – Social Adjustment and methods of adjustment.
9. There is reverse correlative relationship statistically significant between Psychological – Social Adjustment and symptoms associated with post-traumatic stress disorder.
10. There is direct correlative relationship statistically significant between methods of adjustment and symptoms associated with post-traumatic stress disorder.
11. The feelings of anger and outrage towards those accused with terrorist actions obtained the highest ratio of (68.7%) of the symptoms associated with

post-traumatic stress disorder.

12. Acne, which represented disease infects skin, obtained the high ratio of (16.5) of the physical-psychological diseases.

According to these results, the researcher has made some suggestions and recommendations.

أنموذج (أ) الخاص برسائل الماجستير و اطاريح الدكتوراة (اخر شهادة)